ELSEVIER

Nuclear Engineering and Design 168 (1997) 375–376

Nuclear Engineering and Design

Author Index of Volume 168

Alberman, A., M. Roche, P. Couffin, S. Bendotti, D.J. Moulin and J.L. Boutfroy, Technique for power ramp tests in the ISABELLE 1 loop of the OSIRIS reactor 168 (1996) 293
Asou, M. and J. Porta, Prospects for poisoning reactor cores of the future 168 (1996) 261

Baetslé, L.H. and C. De Raedt, Limitations of actinide recycle and fuel cycle consequences: a global analysis : Part 1: Global fuel cycle analysis 168 (1996) 191
Baetslé, L.H. and C. De Raedt, Limitations of actinide recycle and fuel cycle consequences. A global analysis : Part 2: Recycle of actinides in thermal reactors: impact of high burn up LWR-UO_2 fuel irradiation and multiple recycle of LWR-MOX fuel on the radiotoxic inventory 168 (1996) 203
Bendotti, S., see Alberman, A. 168 (1996) 293
Bengtsson, S., see Grounes, M. 168 (1996) 151
Berger, H.-D., see Böhme, R. 168 (1996) 271
Besson, J., see Devillers-Guerville, L. 168 (1996) 211
Blind, D., see Kussmaul, K. 168 (1996) 53
Böhme, R., H.-D. Berger, R. Chawla, H. Hager, R. Seiler and T. Williams, Void coefficient analysis of an LWR lattice experiment with high-enrichment MOX fuel 168 (1996) 271
Boutfroy, J.L., see Alberman, A. 168 (1996) 293
Brosi, S., G. Duijvestijn, H. Hirschmann, B.S. Jäckel, K. Nakada, J.A. Patorski, R. Rösel, H.P. Seifert and P. Tipping, CORVIS. Investigation of light water reactor lower head failure modes 168 (1996) 77
Brümmer, G., see Wachter, O. 168 (1996) 35

Carlsson, M., see Grounes, M. 168 (1996) 177
Carlsson, M., see Grounes, M. 168 (1996) 129
Cattant, F., Lessons learned from the examination of tubes pulled from Electricité de France steam generators 168 (1996) 241
Chawla, R., see Böhme, R. 168 (1996) 271
Comby, R., Secondary side corrosion in steam generator tubes: lessons learned in France from the in-service inspection results 168 (1996) 255
Coudray, R., M. Eid and G.L. Fiorini, A differential model for equivalent parameters: Application to two residual heat removal systems parameterization and interpretation of results 168 (1996) 227
Couffin, P., see Alberman, A. 168 (1996) 293

De Raedt, C., see Baetslé, L.H. 168 (1996) 191
De Raedt, C., see Baetslé, L.H. 168 (1996) 203
Devillers-Guerville, L., J. Besson and A. Pineau, Notch fracture toughness of a cast duplex stainless steel: modelling of experimental scatter and size effect 168 (1996) 211
Duijvestijn, G., see Brosi, S. 168 (1996) 77

Eid, M., see Coudray, R. 168 (1996) 227

Fiorini, G.L., see Coudray, R. 168 (1996) 227

Garat, C. and C.-Y. Rieg, Validation of neutron propagation calculations using the DORT and DOTSYN codes and the special dosimetry benchmark experiment at the French St. Laurent reactor 168 (1996) 281
Gomez Briceño, M.D., see Navas, M. 168 (1996) 183
Gräslund, C., see Grounes, M. 168 (1996) 177
Gräslund, C., see Grounes, M. 168 (1996) 167
Graves III, H.L., see Rodriguez, M. 168 (1996) 23
Grounes, M., C. Gräslund, G. Lysell and H. Tomani, Fuel R&D at Studsvik: III. Studies of special phenomena in fuel behaviour: lift-off and defect fuel degradation 168 (1996) 167
Grounes, M., C. Gräslund, M. Carlsson and T. Unger, Fuel R&D at Studsvik: IV. Upcoming international fuel R&D projects 168 (1996) 177
Grounes, M., G. Lysell and S. Bengtsson, Fuel R&D at Studsvik: II. General studies of fuel behaviour including pellet-cladding interaction 168 (1996) 151
Grounes, M., H. Tomani, A. Lassing and M. Carlsson, Fuel R&D at Studsvik: I. Introduction and experimental facilities 168 (1996) 129

Hager, H., see Böhme, R. 168 (1996) 271
Helton, J.C. and K.M. Trauth, Comments on an evaluation of the 1992 performance assessment for the Waste Isolation Pilot Plant 168 (1996) 339
Hidaka, A., J. Nakamura and J. Sugimoto, Influence of thermal properties of zirconia shroud on analysis of PHEBUS FPT0 bundle degradation test with ICARE2 code 168 (1996) 361
Hirschmann, H., see Brosi, S. 168 (1996) 77
Horhoianu, G., D.R. Moscalu and I.A. Popescu, Strain and stress analysis in the end-cap weld region of a fuel element 168 (1996) 319
Horie, T., see Takeda, T. 168 (1996) 11
Huizhong, Z., The uranium–zirconium hydride pulsed reactor and its use in science and technology 168 (1996) 305

Iwata, K., see Takeda, T. 168 (1996) 11

Jäckel, B.S., see Brosi, S. 168 (1996) 77
Jirsa, P., Monitoring of the VVER nuclear reactor internals 168 (1996) 1

Khabensky, V.B., S.D. Malkin, V.V. Shalia, Z.-Y. Wang, G.-H. Wang and E. Lin, Comparative analysis of RBMK core channel void fraction determined by RELAP5, KOBRA, and a new drift flux correlation 168 (1996) 119
Klingner, R.E., see Rodriguez, M. 168 (1996) 23
Kunitomi, K., see Takeda, T. 168 (1996) 11
Kussmaul, K., D. Blind and V. Läpple, New observations on the crack growth rate of low alloy nuclear grade ferritic steels under constant active load in oxygenated high-temperature water 168 (1996) 53

Läpple, V., see Kussmaul, K. 168 (1996) 53
Lassing, A., see Grounes, M. 168 (1996) 129
Lee, W.W.-L., A critical evaluation of the 1992 performance assessment for the Waste Isolation Pilot Plant 168 (1996) 325
Lin, E., see Khabensky, V.B. 168 (1996) 119
Lotez, D., see Rodriguez, M. 168 (1996) 23
Lysell, G., see Grounes, M. 168 (1996) 167
Lysell, G., see Grounes, M. 168 (1996) 151

Malkin, S.D., see Khabensky, V.B. 168 (1996) 119
Mohan, R., see Rahman, S. 168 (1996) 105
Moscalu, D.R., see Horhoianu, G. 168 (1996) 319
Moulin, D.J., see Alberman, A. 168 (1996) 293

Nakada, K., see Brosi, S. 168 (1996) 77
Nakamura, J., see Hidaka, A. 168 (1996) 361
Navas, M. and M.D. Gomez Briceño, Behaviour of reference electrodes in the monitoring of corrosion potential at high temperature 168 (1996) 183
Nhim, K., see Zarrabi, K. 168 (1996) 313

Patorski, J.A., see Brosi, S. 168 (1996) 77
Pineau, A., see Devillers-Guerville, L. 168 (1996) 211
Popescu, I.A., see Horhoianu, G. 168 (1996) 319
Porta, J., see Asou, M. 168 (1996) 261

Rahman, S., G. Wilkowski and R. Mohan, Low-cycle fatigue crack growth considerations in pipe fracture analyses 168 (1996) 105
Rieg, C.-Y., see Garat, C. 168 (1996) 281
Roche, M., see Alberman, A. 168 (1996) 293
Rodriguez, M., Y.-G. Zhang, D. Lotez, H.L. Graves III and R.E. Klingner, Dynamic behaviour of anchors in cracked and uncracked concrete: a progress report 168 (1996) 23
Rösel, R., see Brosi, S. 168 (1996) 77

Seifert, H.P., see Brosi, S. 168 (1996) 77
Seiler, R., see Böhme, R. 168 (1996) 271
Shalia, V.V., see Khabensky, V.B. 168 (1996) 119
Sugimoto, J., see Hidaka, A. 168 (1996) 361

Takeda, T., K. Kunitomi, T. Horie and K. Iwata, Feasibility study on the applicability of a diffusion-welded compact intermediate heat exchanger to next-generation high temperature gas-cooled reactor 168 (1996) 11
Tipping, P., see Brosi, S. 168 (1996) 77
Tomani, H., see Grounes, M. 168 (1996) 167
Tomani, H., see Grounes, M. 168 (1996) 129
Trauth, K.M., see Helton, J.C. 168 (1996) 339

Unger, T., see Grounes, M. 168 (1996) 177

Wachter, O. and G. Brümmer, Experiences with austenitic steels in boiling water reactors 168 (1996) 35
Wang, G.-H., see Khabensky, V.B. 168 (1996) 119
Wang, Z.-Y., see Khabensky, V.B. 168 (1996) 119
Wilkowski, G., see Rahman, S. 168 (1996) 105
Williams, T., see Böhme, R. 168 (1996) 271

Zarrabi, K., H. Zhang and K. Nhim, Plastic collapse pressure of cylindrical vessels containing longitudinal surface cracks 168 (1996) 313
Zhang, H., see Zarrabi, K. 168 (1996) 313
Zhang, Y.-G., see Rodriguez, M. 168 (1996) 23

ELSEVIER

Nuclear Engineering and Design 168 (1997) 377–378

Nuclear Engineering and Design

Subject Index of Volume 168

Engineering mechanics

New observations on the crack growth rate of low alloy nuclear grade ferritic steels under constant active load in oxygenated high-temperature water
K. Kussmaul, D. Blind, V. Läpple 168 (1997) 53
Plastic collapse pressure of cylindrical vessels containing longitudinal surface cracks
K. Zarrabi, H. Zhang, K. Nhim 168 (1997) 313
Strain and stress analysis in the end-cap weld region of a fuel element
G. Horhoianu, D.R. Moscalu, I.A. Popescu 168 (1997) 319

Materials properties

New observations on the crack growth rate of low alloy nuclear grade ferritic steels under constant active load in oxygenated high-temperature water
K. Kussmaul, D. Blind, V. Läpple 168 (1997) 53
Limitations of actinide recycle and fuel cycle consequences: a global analysis. Part 1: Global fuel cycle analysis
L.H. Baetslé, Ch. De Raedt 168 (1997) 191
Notch fracture toughness of a cast duplex stainless steel: modelling of experimental scatter and size effect
L. Devillers-Guerville, J. Besson, A. Pineau 168 (1997) 211
Lessons learned from the examination of tubes pulled from Electricité de France steam generators
F. Cattant 168 (1997) 241
Secondary side corrosion in steam generator tubes: lessons learned in France from the in-services inspection results
R. Comby 168 (1997) 255
Plastic collapse pressure of cylindrical vessels containing longitudinal surface cracks
K. Zarrabi, H. Zhang, K. Nhim 168 (1997) 313
Strain and stress analysis in the end-cap weld region of a fuel element
G. Horhoianu, D.R. Moscalu, I.A. Popescu 168 (1997) 319

Mechanical design, component fabrication and testing

Monitoring of the VVER nuclear reactor internals
P. Jirsa 168 (1997) 1
Feasibility study on the applicability of a diffusion-welded compact intermediate heat exchanger to next-generation high temperature gas-cooled reactor
T. Takeda, K. Kunitomi, T. Horie, K. Iwata 168 (1997) 11
Dynamic behaviour of anchors in cracked and uncracked concrete: a progress report
M. Rodriguez, Y-G. Zhang, D. Lotez, H.L. Graves III, R.E. Klingner 168 (1997) 23
Experiences with austenitic steels in boiling water reactors
O. Wachter, G. Brümmer 168 (1997) 35
CORVIS. Investigation of light water reactor lower head failure modes
S. Borsi, G. Duijvsetijn, H. Hirschmann, B.S. Jäckel, K. Nakada, J.A. Patorski, R. Rösel, H.P. Seifert, Ph. Tipping 168 (1997) 77
Low-cycle fatigue crack growth condiserations in pipe fracture analyses
S. Rahman, G. Wilkowski, R. Mohan 168 (1997) 105
Comparative analysis of RBMK core channel void fraction determined by RELAP5, KOBRA, and a new drift flux correlation
V.B. Khabensky, S.D. Malkin, V.V. Shalia, Z.-Y. Wang, G.-H. Wang, E. Lin 168 (1997) 119
A critical evaluation of the 1992 performance assessment for the Waste Isolation Pilot Plant
W. W.-L. Lee 168 (1997) 325

Comments on an evaluation of the 1992 performance assessment for the Waste Isolation Pilot Plant
J.C. Helton, K.M. Trauth 168 (1997) 339
Influence of thermal properties of zirconia shroud on analysis of PHEBUS FPT0 bundle degradation test with ICARE2 code
A. Hidaka, J. Nakamura, J. Sugimoto 168 (1997) 361

Layout of nuclear facilities

The uranium-zirconium hydride pulsed reactor and its use in science and technology
Z. Hiuzhong 168 (1997) 305

Discussion

Limitations of actinide recycle and fuel cycle consequences. A global analysis. Part 2: Recycles of actinides in thermal reactors: impact of high burn up LWR-UO_2 fuel irradiation and multiple recycles of LWR-MOX fuel on the radiotoxic inventory
L.H. Baetslé, Ch. De Raedt 168 (1997) 203

Core physics and fuel design

Fuel R&D at Studsvik. I. Introduction and experimental facilites
M. Grounes, H. Tomani, A. Lassing, M. Carlsson 168 (1997) 129
Fuel R&D at Studsvik. II. General studies of fuel behaviour including pellet-cladding interaction
M. Grounes, G. Lysell, S. Bengtsson 168 (1997) 151
Fuel R&D at Studsvik. III. Studies of special phenomena in fuel behaviour: lift-off and defect fuel degradation
M. Grounes, C. Gräslund, G. Lysel, H. Tomani 168 (1997) 167
Fuel R&D at Studsvik. IV. Upcoming international fuel R&D projects
M. Grounes, C. Gräslund, M. Carlsson, T. Unger 168 (1997) 177
Prospects for poisoning reactor cores of the future
M. Asou, J. Porta 168 (1997) 261
Void coefficient analysis of an LWR lattice experiment with high-enrichment MOX fuel
R. Böhme, H.-D. Berger, R. Chawla, H. Hager, R. Seiler, T. Williams 168 (1997) 271
Validation of neutron propagation calculations using the DORT and DOTSYN codes and the special dosimetry benchmark experiment at the French St. Laurent reactor
C. Garat, C.-Y. Rieg 168 (1997) 281
Technique for pwer ramp tests in the ISABELLE 1 loop of the OSIRIS reactor
A. Alberman, M. Roche, P. Couffin, S. Bendotti, D.J. Moulin, J.L. Boutfroy 168 (1997) 293

Nuclear safety

Behaviour of reference electrodes in the monitoring of corrosion potential at high temperature
M. Navas, M.D. Gomez Bricẽno 168 (1997) 183
A differential model for equivalent parameters. Application to two residual heat temoval systems parameterization and interpretation of results
R. Coudray, M. Eid, G.L. Fiorini 168 (1997) 227